# SAFETY DATA SHEET

Digesil Gel

### Section 1. Identification

GHS product identifier Digesil Gel

Other means of Not available. Identification

Relevant identified uses of the substance or mixture and uses advised against

Stripper / Polymer Remover.

Supplier's details	RPM Technology, LLC P.O. Box 33186 Reno, NV 89533 Tel: +1-775-473-6208 Toll Free: Tel: +1 866 271-8766 Fax: +1-775-323-7595
<b>F</b>	

Emergency telephone CHEMTREC, U.S. : +1-855-347-8202 International: +1-703-527-3887 number (with hours of (24/7) operation)

### Section 2. Hazards identification

OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the	FLAMMABLE LIQUIDS - Category 4
substance or mixture	ACUTE TOXICITY (oral) - Category 4
	ACUTE TOXICITY (dermal) - Category 4
	ACUTE TOXICITY (inhalation) - Category 3
	SKIN CORROSION/IRRITATION - Category 1B
	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

#### GHS label elements Hazard pictograms



- Signal word Danger
- Hazard statements H277 Combustible liquid. H304 May be fatal if swallowed and enter airways. H314 Causes severe skin burns and eye damage. H336 May cause drowsiness or dizziness.
- **Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep away from flames and hot surfaces. No smoking. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Response	IF exposed or concerned: Get medical attention. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician.		
	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or physician if you		
	feel unwell. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical attention.		
	<b>IF IN EYES:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.		
Storage	Store locked up. Store in a well-ventilated place. Keep cool.		
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.		

# Section 3. Composition/information on ingredients

Substance/mixture	Mixture
Other means of	Not available.
identification	

#### CAS number/other identifiers

CAS number	Not applicable.
Product code	Digesil Gel

Ingredient name	%	CAS number
Mid Petroleum Distillate	>85	64742-81-0
Benzene Sulphonic Acid	5 - 10	85536-14-7
Silicon dioxide	1 – 10	112945-52-5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.
Inhalation	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person.

#### Most important symptoms/effects, acute and delayed

Potential acute	e health effects	····, ································
Eye contact	t	Causes serious eye irritation.
Inhalation		Toxic if inhaled. Exposure to decomposition products may cause a health hazard.
<b>.</b>		Serious effects may be delayed following exposure.
Skin contac	t	Harmful in contact with skin. Causes skin irritation.
Ingestion		Harmful if swallowed. Irritating to mouth, throat and stomach.
Over-exposure	signs/symptor	<u>ns</u>
Eye contact		oms may include the following:
	pain or irritation	
	watering	
	redness	
Inhalation	Adverse sympto	oms may include the following:
	reduced fetal we	
	increase in fetal	
	skeletal malform	nations
Skin contact	Adverse sympto	oms may include the following:
	irritation	,
	redness	
	educed fetal we	-
increase in fetal deaths		
	skeletal malformations	
Ingestion	Adverse sympto	oms may include the following:
-	reduced fetal we	
	increase in fetal	
	skeletal malform	nations
Indication of ir	nmediate medic	al attention and special treatment needed, if necessary
Notes to physi		In case of inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical surveillance
		for 48 hours.
Specific treatments No specific treatment.		
Protection of first-aiders		No action shall be taken involving any personal risk or without suitable training. If
		it is suspected that fumes are still present, the rescuer should wear an
		appropriate mask or self-contained breathing apparatus. It may be dangerous to
		the person providing aid to give mouth-to-mouth resuscitation. Wash
		contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media Suitable extinguishing media:	Use dry chemical, CO2, water spray (fog) or foam.	
Unsuitable extinguishing media:	Do not use water jet or water-based fire extinguishers.	
Specific hazards arising from chemical:	<ul> <li>Combustible liquid. The vapor/gas is heavier than air and will spread along the ground.</li> <li>Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.</li> </ul>	
Hazardous thermal decomposition produ	ucts. Decomposition products may inclucate carbon dioxide	ude the following materials:
		Dage 2 of 10

	carbon monoxide nitrogen oxides
Special protective actions for fire-fighters:	Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

### Section 6. Accidental release measures

For non-emergency:	No action shall be taken involving any personal risk or without suitable training. Personnel Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

**Spill:** Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosionproof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

Precautions for safe handling	
Protective measures:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from acids. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### Section 8. Exposure controls/personal protection <u>Control parameters</u> Occupational exposure limits

INGREDIENT NAME	ACGIH TI	LV	OSHA PEL	OTHER LIMIT	
Mid Petroleum Distillate	300 ppm (skin)		300 ppm TWA (skin)		
Dodecylbenzensolfonic acid	none liste	ed	none listed		
e> e> lir co		Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.			
Environmental exposure:	cl	hecked to ens		cess equipment should be y with the requirements of	
Individual protection measur					
Hygiene measures:	pi th pi re	roducts, befor ne working per otentially cont	e eating, smoking and u riod. Appropriate technic aminated clothing. Wasl e that eyewash stations	ghly after handling chemical sing the lavatory and at the end of ques should be used to remove h contaminated clothing before and safety showers are close to	
Eye/face protection:	risk asses mists, gas	ssment indicat ses or dusts. I ess the asses	es this is necessary to a f contact is possible, the	andard should be used when a avoid exposure to liquid splashes, following protection should be r degree of protection: chemical	
Hand protection:	should be	e worn at all tir		ng with an approved standard nical products if a risk assessment rile gloves.	
Body protection:	being per		e risks involved and sho	ould be selected based on the task ould be approved by a specialist	
Other skin protection:	selected b	based on the t		rotection measures should be d the risks involved and should be roduct.	
Respiratory protection:				ir respirator complying with an es this is necessary. Respirator	
P:\Suppliers\Chela\SDS\RPM SDS\Dig				Page 5 of 10	

selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

State:	Gel
Color:	Brown
Odor:	Characteristic odor
Oxidizing:	Non-oxidizing
Solubility in water:	Slightly soluble
Viscosity:	Highly vicious
Relative density:	0.90

# Section 10. Stability and reactivity

Reactivity:	No specific test data related to reactivity available for this product or its
	ingredients.
Chemical stability:	The product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid:	Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined
	areas.
Incompatible materials:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should products not be produced.

# Section 11. Toxicological information

Information on toxicological effects

#### Mid Petroleum Distillate

DERMAL	RBT	LD50	3160	mg/kg
ORAL	RAT	LD50	5000	mg/kg
VAPOURS	RAT	4H LC50	5266	mg/m3

#### Benzene Sulphonic Acid

DERMAL	RAT	LD50	>5000	mg/kg
ORAL	RAT	LD50	650	mg/kg

#### Silicon Dioxide

DERMAL	RBT	LD50	>5000	mg/kg
DUST/MIST	RAT	4H LC50	0.139	mg/l
ORAL	RAT	LD50	>10000	mg/kg

#### Irritation/Corrosion

#### Sensitization

Skin:	There is no data available.
Respiratory:	There is no data available.

#### Mutagenicity

There is no data available.

#### Carcinogenicity

There is no data available.

#### **Reproductive toxicity**

There is no data available.

#### Teratogenicity

There is no data available.

#### Specific target organ toxicity (single exposure) There is no data available.

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### Aspiration hazard

There is no data available.

Information on the likely:	Routes of entry anticipated: Oral, Dermal, and Inhalation.
routes of exposure	

# Section 11. Toxicological information

Eye contact:	Causes serious eye irritation.
Inhalation:	Toxic if inhaled. Exposure to decomposition products may cause a health hazard.
	Serious effects may be delayed following exposure.
Skin contact:	Harmful in contact with skin. Causes skin irritation.
Ingestion:	Harmful if swallowed. Irritating to mouth, throat and stomach.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation:	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact:	Adverse symptoms may include the following: irritation redness reduced fetal weight
Ingestion:	increase in fetal deaths skeletal malformations Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations

# Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects:	No known significant effects or critical hazards.
Potential delayed effects:	No known significant effects or critical hazards.
Long term exposure	
Potential immediate effects:	No known significant effects or critical hazards.
Potential delayed effects:	No known significant effects or critical hazards.
Potential chronic health effects	
General:	No known significant effects or critical hazards.
Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Teratogenicity:	No known significant effects or critical hazards.
Developmental effects:	No known significant effects or critical hazards.
Fertility effects:	No known significant effects or critical hazards.
-	-

# Section 12. Ecological information

#### <u>Toxicity</u>

There is no data available.

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

There is no data available.

#### Mobility in soil

Insoluble in water.

Other adverse effects: No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	IMDG	IATSA
Un number	UN2586	UN2586	UN2586
UN proper shipping name	Alkylsulfonic acids, liquid	Alkylsulfonic acids, liquid	Alkylsulfonic acids, liquid
Transport hazard class(es)	8	8	8
Packing group	111	111	111
Environmental hazards	No	No	No
Additional Information	May be shipped as Limited Quantity if less than 70 pounds		May be shipped s Limited Quantity if each container is less than 2.5 liter and 5 liters total

Special precautions for user:

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory information

U.S. Federal regulations:	United States inventory (TSCA 8b): All components are listed or exempted.
Clean Air Act Section 112: (b) Hazardous Air Pollutants (HAPs)	Not listed
Clean Air Act Section 602: Class I Substances	Not listed

Clean Air Act Section 602: Not listed P:\Suppliers\Chela\SDS\RPM SDS\Digesil\_Gel\SDS\_Digesil\_Gel\_US\_05-07-2017.doc

DEA List I Chemicals:	Not listed
(Precursor Chemicals)	

DEA List II Chemicals: Not listed (Essential Chemicals)

SARA 302

No chemicals in this product are subject to the reporting requirement of SAS Title III, Section 3012.

SARA 313

This product does not contain any chemical components with known CAS numbers that exceed the threshold (de Minimis) reporting levels established by SARA Tile III, Section 313.

#### **Composition/information on ingredients**

#### State regulations

Massachusetts:The following components are listed: Mid Petroleum Distillate, Benzene Sulphonic AcidPennsylvania:The following components are listed: Mid Petroleum Distillate, Benzene Sulphonic AcidNew Jersey:The following components are listed: Mid Petroleum Distillate, Benzene Sulphonic AcidCalifornia Pron 65Following components are listed: Mid Petroleum Distillate, Benzene Sulphonic Acid

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Chemical Weapons:	Not listed
Convention List Schedule	
Chemicals	

Chemical Weapons: Not listed Convention List Schedule II Chemicals

Chemical Weapons: Not listed Convention List Schedule III Chemicals

### Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health: 3 Flammability: 2 Physical hazards: 0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Health: 3 Flammability: 2 Instability: 0

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### **History**

P:\Suppliers\Chela\SDS\RPM SDS\Digesil\_Gel\SDS\_Digesil\_Gel\_US\_05-07-2017.doc

Date of issue mm/dd/yyyy:	05/17/2017
Previous version mm/dd/yyyy:	10/11/2015
Revised Section(s):	14

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.